according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23-Sep-2016 Print date: 23-Sep-2016 Version: 2 modifiziert

Page 1/7



## SIHA SulfoLiq A40

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1. Product identifier

Trade name/designation:

SIHA SulfoLiq A40

## Article No.:

64103/HW020

# **1.2.** Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture: Product for Wine treatment

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

**Eaton Technologies GmbH** Langenlonsheim Branch An den Nahewiesen 24 55450 Langenlonsheim

Germany

Telephone: +49 6704 204-0 (Diese Nummer ist nur zu Bürozeiten besetzt.)

**Telefax:** +49 6704 204-121

E-mail: SDB@Eaton.com

Website: www.eaton.com/filtration

#### **1.4. Emergency telephone number**

Notfallauskunft bei Vergiftungen: Giftinformationszentrum Mainz (Deutsch und Englisch). Emergency medical information: Poison information center Mainz (German and English)., 24h: +49 6131 19240

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

No data available

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



**GHS07** Exclamation mark.

Signal word: Warning

hazard state	ments for health hazards
H319	Causes serious eye irritation.
Supplementa	l Hazard information (EU)
EUH031	Contact with acids liberates toxic gas.
Precautionar	y statements Prevention
P264.1	Wash hands thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23-Sep-2016 Print date: 23-Sep-2016 Version: 2 modifiziert



Page 2/7

## SIHA SulfoLiq A40

#### Precautionary statements Response

	•
P305 + P351 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
P338	and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.

#### 2.3. Other hazards

No data available

#### **SECTION 3: Composition / information on ingredients**

#### 3.2. Mixtures

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CL P]	Concen- tration
CAS No.: 192-30-0	Ammoniumhydrogensulfit	≥ 60 - < 70
EC No.: 233-469-7		%
<b>REACH No.:</b> 01-2119537321-49-0000		

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### Following inhalation:

Remove casualty to fresh air and keep warm and at rest. Consult a doctor immediately in the case of inhaling spray mist and show him packing or label.

#### In case of skin contact:

Take off contaminated clothing.

Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. After contact with skin, wash immediately with plenty of water and soap.

#### After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### After ingestion:

Induce vomiting when the affected person is not unconscious. IF SWALLOWED: Immediately call a POISON CENTER/doctor/....

#### **4.2. Most important symptoms and effects, both acute and delayed** No data available

#### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media:

Water, Carbon dioxide (CO2)

#### 5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

#### 5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely.

#### 5.4. Additional information

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23-Sep-2016 Print date: 23-Sep-2016 Version: 2 modifiziert

Page 3/7

## SIHA SulfoLiq A40

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

#### **Personal precautions:**

Use personal protection equipment.

#### **Protective equipment:**

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Use appropriate respiratory protection. Provide adequate ventilation.

6.1.2. For emergency responders

No data available

#### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### 6.3. Methods and material for containment and cleaning up

#### For containment:

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

## Wash with plenty of water.

#### 6.4. Reference to other sections

No data available

#### 6.5. Additional information

No data available

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Protective measures

#### Advices on safe handling:

Avoid contact with eyes and skin. Do not breathe dust/fume/gas/mist/vapours/spray. If handled uncovered, arrangements with local exhaust ventilation have to be used. Keep only in original container.

Non-contaminated packages may be recycled.

Contaminated work clothing should not be allowed out of the workplace. When using do not eat, drink or smoke.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Technical measures and storage conditions:** Ensure adequate ventilation of the storage area.

Keep in a cool, well-ventilated place. Keep container dry.

#### Hints on storage assembly:

Do not store together with: Acid, Oxidising agent

#### Further information on storage conditions:

Keep away from food, drink and animal feedingstuffs.

#### 7.3. Specific end use(s)

No data available



according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23-Sep-2016 Print date: 23-Sep-2016 Version: 2 modifiziert



SIHA SulfoLiq A40

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

Limit value ty pe (country of origin)		<ol> <li>long-term occupational exposure limit value</li> <li>short-term occupational exposure limit value</li> <li>Instantaneous value</li> <li>Monitoring and observation processes</li> <li>Remark</li> </ol>
	sulphur dioxide CAS No.: 7446-09-5	<ol> <li>1 ppm (2.5 mg/m<sup>3</sup>)</li> <li>1 ppm (2.5 mg/m<sup>3</sup>)</li> </ol>

#### 8.1.2. Biological limit values

No data available

#### 8.1.3. DNEL-/PNEC-values

No data available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No data available

#### 8.2.2. Personal protection equipment

#### Eye/face protection:

Eye glasses with side protection

#### Skin protection:

The glove material has to be impermeable and resistant to the product/the substance/the preparation. Due to missing tests no recommendation to the glove material can be given for the product/the preparation/the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### **Respiratory protection:**

Use suitable breathing apparatus. DIN EN 141

#### 8.2.3. Environmental exposure controls

No data available

#### 8.3. Additional information

DNEL worker: DNEL long-term inhalative (systemic): 10 mg/m<sup>3</sup> DNEL Consumer: DNEL long-term oral (repeated): 0,901 mg/kg

PNEC aquatic, freshwater: 1,04 mg/L PNEC aquatic, marine water: 0,1 mg/L PNEC sewage treatment plant (STP): 78,6 mg/L

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state:** liquid **Odour:** Sulphur dioxide (SO2) **Colour:** not determined

#### Safety relevant basis data

parameter		at °C	Method	Remark
рН	≈ 5	20 °C		
Melting point	not applicable			
Freezing point	not determined			
Initial boiling point and boiling	≈ 105 °C			
range				



according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23-Sep-2016 Print date: 23-Sep-2016 Version: 2 modifiziert



Page 5/7

## SIHA SulfoLiq A40

parameter		at °C	Method	Remark
Decomposition temperature (°C):	not determined			
Flash point	not determined			
Evaporation rate	not determined			
Ignition temperature in °C	not determined			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	not determined			
Vapour density	not determined			
Density	1.3 – 1.4 kg/l			
Bulk density	not determined			
Water solubility (g/L)	not determined			
Partition coefficient: n-octanol/ water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	not determined			

#### 9.2. Other information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Substance is, under normal conditions, chemically stable.

#### 10.2. Chemical stability

Substance is, under normal conditions, chemically stable.

#### **10.3. Possibility of hazardous reactions** not known.

#### 10.4. Conditions to avoid

Substance is, under normal conditions, chemically stable.

#### 10.5. Incompatible materials

Acid, Oxidising agent

#### 10.6. Hazardous decomposition products

Pyrolysis products, toxic Gases/vapours, harmful Gases/vapours, irritant

#### **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects Acute oral toxicity: not applicable Acute inhalation toxicity: not applicable Acute inhalation toxicity: not applicable Skin corrosion/irritation: irritant. Eye damage/irritation: Causes eye irritation. Respiratory or skin sensitisation: not applicable Germ cell mutagenicity: not applicable

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23-Sep-2016 Print date: 23-Sep-2016 Version: 2 modifiziert

Page 6/7

## SIHA SulfoLiq A40

#### Carcinogenicity:

not applicable **Reproductive toxicity:** not applicable

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Aquatic toxicity:

Avoid release to the environment.

#### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

**Bioconcentration factor (BCF):** not applicable

## **12.4. Mobility in soil** not applicable

12.5. Results of PBT and vPvB assessment

No data available

#### 12.6. Other adverse effects

No data available

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

The disposal of the product has to be carried out in accordance with the legal requirements. EWC waste codes are strictly industry-oriented, therefore waste classification has to be done by the waste producer.

#### Waste treatment options

#### Appropriate disposal / Package:

Contaminated packages must be completely emptied and can be re-used following proper cleaning.

#### **13.2.** Additional information

No data available

#### **SECTION 14: Transport information**

No dangerous good in sense of these transport regulations.

#### 14.1. UN-No.

not relevant

#### 14.2. UN proper shipping name

not relevant

#### 14.3. Transport hazard class(es)

not relevant

#### 14.4. Packing group

not relevant

#### 14.5. Environmental hazards

not relevant

#### 14.6. Special precautions for user

not relevant



according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23-Sep-2016 Print date: 23-Sep-2016 Version: 2 modifiziert



## SIHA SulfoLiq A40

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not relevant

#### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

No data available

#### 15.1.2. National regulations

#### [DE] National regulations

## Water hazard class (WGK)

WGK:

1 - schwach wassergefährdend

#### **15.2. Chemical Safety Assessment**

No data available

#### 15.3. Additional information

No data available

#### **SECTION 16: Other information**

#### 16.1. Indication of changes

SECTION 3: Composition / information on ingredients

#### 16.2. Abbreviations and acronyms

No data available

#### 16.3. Key literature references and sources for data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

# 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No data available

#### 16.5. Relevant R-, H- and EUH-phrases (Number and full text) No data available

#### 16.6. Training advice

No data available

#### 16.7. Additional information

No data available

